





2025

BIS
Catalogue

广州市金佩林电子科技有限公司
Guangzhou Goldplin Electronic Technology CO.,LTD




QC Solution



ONE PLUS 9rt



One plus 9ro



OPPO Reno 6



OPPO Find X6 pro




OPPO Reno 10



Infinix



Realme




MI X4



HW




Oneplus



TECNO

VIVO Solution



ONE PLUS 9rt



One plus 9ro



OPPO Reno 6



OPPO Find X6 pro



OPPO Reno 10




Realme



MI X4



HW




Oneplus




TECNO




Infinix



VIVO X70




VIVO S18



Samsung


QC+PD Solution



ONE PLUS 9rt



One plus 9ro



OPPO Reno 6



OPPO Find X6 pro



OPPO Reno 10



Infinix



Realme




MI X4




HW



Oneplus



TECNO



Samsung


QC+PD VIVO Solution




ONE PLUS 9rt



One plus 9ro



OPPO Reno 6



OPPO Find X6 pro



OPPO Reno 10




Realme



MI X4



HW



Oneplus




TECNO



Infinix



VIVO X70



VIVO S18



Samsung



Samsung

Model:TL1025

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output:QC ,20W,30W, 45W (Full protocol)

QC+PD 20W,25W,30W,45W (Full protocol)

PD+PD+PD+QC 65W 120W(Full protocol)

PD+PD 35W,45W,65W (Full protocol)

PD+PD+QC 45W,65W (Full protocol)



Model: TL1024

Material: ABS

Input: AC 100-240V~50/60Hz

Output: QC ,20W,30W, 45W (Full protocol)

QC+PD 20W,25W,30W,45W (Full protocol)

PD+PD+PD+QC 65W 120W(Full protocol)

PD+PD 35W,45W,65W (Full protocol)

PD+PD+QC 45W,65W (Full protocol)



NEW DESIGN

Model:TL1023B

Material: ABS

Input:AC 100-240V~50/60Hz

Output:QC ,20W,30W, (Full protocol)

PD+PD 35W(Full protocol)

PD20W,25W,30W (Full protocol or support PD phone)

QC+PD 20W,25W,30W(Full protocol)



NEW DESIGN

Model:TL1023A

Material: ABS

Input:AC 100-240V~50/60Hz

Output:QC ,20W,30W, (Full protocol)

PD+PD 35W(Full protocol)

PD20W,25W,30W (Full protocol or support PD phone)

QC+PD 20W,25W,30W(Full protocol)



Model: TL1017B

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、QC, 20W, 30W, 45W,

3、PD+PD+QC 65W(full protocol)

2、QC+PD 20W, 25W, 30W, 45W

4、PD+PD 35W, 45W, 65W

NEW DESIGN



Model: TL1017A

NEW DESIGN

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、QC, 20W, 30W, 45W,

3、PD+PD+QC 65W(full protocol)

2、QC+PD 20W, 25W, 30W, 45W

4、PD+PD 35W, 45W, 65W



Model:TL1016

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output:QC ,20W,30W, 45W,QC+PD 20W, 25W,30W,45W

PD+PD+QC 65W(full protocol)



Model: TL1015B

NEW DESIGN

Material: ABS


Input: AC 100-240V~50/60Hz

Output: 1、QC ,20W,30W, 45W,

3、PD+PD+QC 65W(full protocol)

2、QC+PD 20W, 25W,30W,45W

4、PD+PD 35W,45W,65W



Model: TL1015A

NEW DESIGN

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、QC, 20W, 30W, 45W,

3、PD+PD+QC 65W(full protocol)

2、QC+PD 20W, 25W, 30W, 45W

4、PD+PD 35W, 45W, 65W




Model:TL1014

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC+PD 25W (Flash full protocol),+PD45W Total 65W

QC+PD25W(Full protocol+PD25W Toatl 50W



PD CHARGER

Model:TL1013

Material: ABS

Input:AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)

PD+PD 35W,40W(Full protocol or support PD phone)



PD CHARGER

Model:TL1012

Material: ABS

Input:AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)

PD+PD 35W,40W(Full protocol or support PD phone)



Model:TL1011

PD CHARGER

Full protocol

Material: ABS

Input:AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)

PD+PD 35W,40W(Full protocol or support PD phone)



Model:TL1010

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL1009

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL1008

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model: TL1002

NEW DESIGN

Material: ABS

Input: AC 100-240V~50/60Hz

Output: QC20W, 30W, 45W (Full protocol)

QC+PD 20W, 25W, 35W, 45W (Full protocol)

PD+PD+QC 45W, 65W



Model:TL998

Super Slim Charger



Material: PC

Input:AC 100-240V~50/60Hz

Output: QC+PD 25W (VIVO Full protocol)



Model:TL997

Super Slim Charger



Material: PC

Input:AC 100-240V~50/60Hz

Output: QC+PD 25W (VIVO Full protocol)



Model:TL996

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL993

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL992

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL991

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model:TL990

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model: TL989

NEW DESIGN

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W, 20W, 30W(Full protocol)

QC+PD 20W, 25W(Full protocol)



Model:TL988

NEW DESIGN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)



Model: TL987

Material: ABS

Input: AC 100-240V~50/60Hz

Output: QC 20W, 30W, 45W (Full protocol)

QC+PD 20W, 25W, 30W, 45W (Full protocol)

GOLDPLIN



Model: TL985

Material: ABS

Input: AC 100-240V~50/60Hz

Output: PD20W,25W,30W,45W,65W

QC+PD20W,25W,30W,45W(Full protocol)

PD+PD+QC 45W,65W(Full protocol)



Model: TL983

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W, 20W, 30W (Full protocol)

QC+PD 20W, 25W (Full protocol)

GOLDPLIN



FULL PROTOCOL

Model:TL982

Material: ABS

Input:AC 100-240V~50/60Hz

Output: PD 25W,45W, QC+PD20W,25W,30W





Model:TL981

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2A,2.4A

GOLDPLIN



Model:TL979


Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V/3A,9V/2.77A,12v/2.1A

Full protocol or only Support PD charger

FULL PROTOCOL PD 25W







Model:TL978

GOLDPLIN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC20W, 30W, PD25W, PD30W(Flash Full protocol)



Model:TL973

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V/3A,9V/2.22A,12V/1.67A With PPS

PD 20W




Model:TL971

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC20W,30W,45W

GOLDPLIN



Model:TL950

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、20W,30W(Full protocol)

2、QC+PD 20W,25W,30W (Full protocol)



Model: TL970

Material: ABS

Input: AC 100-240V~50/60Hz

Output: QC 20W, 30W, 45W (Full protocol) QC+PD 20W 25W, 30W, 45W (Full protocol)

PD+PD+QC 45W, 65W, PD+PD 35W, 45W, PD+PD+PD+QC 65W, 120W

GOLDPLIN



Model:TL969

GOLDPLIN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W,45W(Full protocol)

QC+PD20W 25W,30W,45W(Full protocol)



Model:TL968

GOLDPLIN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W,45W(Full protocol)

QC+PD20W 25W,30W,45W(Full protocol)



Model:TL962

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL962-001

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL962-002

GOLDPLIN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL962-003

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL961

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、 QC+PD 20W,25W(Full protocol)

GOLDPLIN




Model:TL961-001

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、 QC+PD 20W,25W(Full protocol)



Model:TL961-002

GOLDPLIN

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、 QC+PD 20W,25W(Full protocol)



Model:TL961-003

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、 QC+PD 20W,25W(Full protocol)



Model: TL959

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、PD25W,30W, QC20W,30W(Full protocol) 2、QC+PD20W 25W,(Full protocol)

GOLDPLIN



Model:TL957

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



GOLDPLIN



Model:TL956

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL955

Material: ABS

Input:1、AC 100-240V~50/60Hz 2、Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)
QC+PD 20W,25W(Full protocol)



Model:TL952

Material: ABS

Input:AC 100-240V~50/60Hz Output: PD 25W,30W(With PPS) Full protocol or support PD charger



Model:TL952



Model:TL940

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、 PD 25W,30W,45W,65W (With PPS) 2、 Full protocol or support PD charger



Model:TL936

Material: ABS

Input:AC 100-240V~50/60Hz


Output: Flash QC 20W,(Full protocol)

Flashcharge 44W



Model:TL935B

GOLDPLIN



Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W,45W(Full protocol)

QC+PD20W 25W,30W,45W(Full protocol)


Model:TL935A

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W,45W(Full protocol)

QC+PD20W 25W,30W,45W(Full protocol)



Model:TL932

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 18W,QC 20W (Full protocol)



Model:TL931

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W.45W(Full protocol)




Model:TL930

Material: ABS

Input:AC 100-240V~50/60Hz

Output: PD 25W,30W(with PPS) Full protocol or support PD phone



Model:TL929

Material: ABS

Input:AC 100-240V~50/60Hz

Output: QC 20W,30W(Full protocol) QC 20W (Flash full protocol)



Super Fast Charging




Model:TL928

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.4A, QC 18W, QC20W(Full protocol) 2、 QC+PD 20W(Full protocol)



Model:TL926

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、 QC+PD 20W,25W(Full protocol)



Model:TL925

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL924

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A,



Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W, 20W, (Full protocol) QC+PD 20W, 25W (Full protocol)

Model: TL923

Model: TL922



Model: TL920

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、20W, 30W (Full protocol) 2、QC+PD 20W, 25W, 30W (Full protocol)



Model:TL919

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、20W,30W (Full protocol) 2、QC+PD 20W,25W,30W(Full protocol)



Model:TL918

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, QC 18W,20W,(Full protocol) 2、QC+PD 20W,25W(Full protocol)



Model:TL916

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、20W,30W (Full protocol) 2、QC+PD 20W,25W,30W(Full protocol)



Model:TL915

Material: ABS

Input:AC 100-240V~50/60Hz

Output:1、QC20W,30W,45W (Full protocol) 2、PD+QC 20W,25W,30W,45W(Full protocol)
PD+PD+QC 45W,65W(Full protocol)



Material: ABS

Input: AC 100-240V~50/60Hz Output: QC20W,30W,45W(Full protocol)

Model: TL912A



Model: TL912B



Model: TL909

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL908

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL907

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL906

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, 2、QC 18W,20W,30W(Full protocol) 3、QC+PD 20W,25W(Full protocol)



Model:TL904

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、PD+QC 20W,25W,30W,45W (Full protocol) 2、PD+PD+QC 45W, 65W(FGaN)



NEW DESIGN

Model: TL905

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 1、PD+PD+PD+QC 65W (GaN) 2、PD+PD+QC+QC 65W (GaN)

3、PD+PD+QC 65W (GaN)

3、PD+QC 20W,25W,35W,45W(Full protocol)



Model:TL989

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A,



Model:TL988

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A,



Model:TL895

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 1、5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol) 2、QC+PD 20W,25W(Full protocol)
3、PD 20W,25W,30W 4、PD+PD 35W,40W




Model:TL890

Material: ABS

Input:AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol) PD20W,QC+PD 20W,25W(Full protocol)



Material: ABS

Input: AC 100-240V~50/60Hz

Output: QC20W,30W,45W(Full protocol)



Model:TL885



Model:TL880

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A, QC 18W,20W,30W(Full protocol)

QC+PD 20W,25W(Full protocol)


PD 20W,25W,30W. PD+PD 45W



Model:TL878A



Model:TL878B



Model:TL875



Model:TL716



Model:TL856



Model:TL872



Model:TL846



More new products, feel free to contact!
We are your best partner!



Celine

Whatsapp: +8618998488195
Wechat: +8618998488195



Rose

Whatsapp: +8618902254839
Wechat: +8618902254839



Adrian

Whatsapp: + 13719209316
Wechat: + 8613719209316



Eva

Whatsapp: +13539405893
Wechat: +8613539405893



Tel: 020-34830866

Fax: 020-34830800

Email: win417@126.com

Add: No.23 Qunxing Street, Fuchong Village, Shawan Town, Panyu District, Guangzhou, China