



Guangzhou Goldplin Electronic Technology Co., Ltd. was established in October 2011 located in No.11 Qunxing Street, Fuyong Village, Shawan Town, Panyu District, Guangzhou City, the factory area of 7500 square meters, with professional technical personnel and more than 150 employees, all products independent research and development, appearance design, mold processing, plastic shell, hardware processing, PCBA processing, SMT, AI, automated production line and quality testing system, integration of assembly and packaging industry and trade, independent research and development and production of various power bank, data cable, car charger, TWS, mobile phone charger 5V1A, 5V2.4A, QC3.0 18W, QC super fast charge 20W-65w and PD20W-65W, as well as QC+PD full protocol charger and GAN100W/120W and other high-power products professional manufacturing factory, warmly welcome OEM, ODM customers to inquire and negotiate, cooperate together.




★ TL1013

Material: ABS

Input: AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)  
PD+PD 35W,40W(Full protocol or support PD phone)

**NEW**



★ TL1012

Material: ABS

Input: AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)  
PD+PD 35W,40W(Full protocol or support PD phone)

**NEW**





★ TL 1011

Material: ABS

Input: AC 100-240V~50/60Hz

Output: PD20W,25W,30W (Full protocol or support PD phone)  
PD+PD 35W,40W(Full protocol or support PD phone)

**NEW**




★ TL 993

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**




★ TL 992

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**




★ TL 991

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**






★ TL 990

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 989

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**




★ TL 988

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 983

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 981

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 957

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**





★ TL956

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 955

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 926

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W



★ TL 925

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W



★ TL 909

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



★ TL 908

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**





Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**



Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W



Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W



★ TL 882

Material: ABS

Input: AC 100-240V~50/60Hz

Output: PD+QC 20W, 25W, 30W, 45W (Full protocol)  
PD+PD+QC 45W, 65W ( GaN)

**NEW**




★ TL 1002

Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2A, 2.4A, QC 18W, 20W, 30W, QC+PD 20W, 25W

**NEW**





Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A  
QC+PD 20W,



Material: ABS

Input: AC 100-240V~50/60Hz

Output: 5V-2.0A, 2.4A  
QC+PD 20W,

